



Fireman Suit / Anti Panas (Jacket and Thouser)

Model	: FMSJT-4L
Structure	: 3 Layer
Out Layer	: Oil resistant flame retardant cotton satin
Thermal barrier L	: 250 g thermal insulation cotton
Linning layer	: Camlet
Flame property	: Damaged length 100 mm, after time ≤ 2s
Weight	: ±3.2 kg
Size	: All Size
Color	: Orange, Blue, Red, & Navy Blue



Anti Bee - Suit (Baju Anti Lebah)

Model	: AB-101F
Type	: Coverall
Material/ bahan	: Taslan Latex Waterproof
Out Layer	: Dacron with parachute
Color	: Orange, Blue, Red
Scotlight	: Grey (Glow in the dark)
Kelengkapan	: Hood, Helmet, Coverall, Gloves
Size tersedia	: All Size



Fireman Suit Alluminized (Tahan Api)

Model	: FMSAL-1010
Material/ bahan	: Acrylic fiber and aluminium foil without any asbestos
Heat radiation resis Temperature	: Under the heat radiation with 10kWim2 : 25°C – 30 second
Hydraulic pressure	: $\geq 400000\text{Pa}$
Kelengkapan	: Coat, Helmet, Pants, Hood, Shoes, Cover
Size tersedia	: All Size

Head lamp / Senter Kepala

Model	: HL-L 3T6
Type	: 3 x Cree XML T6
Lumens	: 10000 lumens
Type baterai	: 2 x 18650 (termasuk)
Material	: Aluminium alloy
Dimensi	: LED : 8,5 x 6,5 x 4,5 cm





Fireman Boots

Model : FMB-053
Upper : Polythene Rubber
Midsole : Steel
Toecap : Steel
Size Tersedia : 30 s/d 44

Features :
Flame retardant, heat insulation, high voltage resistant, oil resistant, anti slip, anti acid and alkali.



Fireman Gloves

Model	: FMG-010P
Structure	: 3 layer
Outer shell	: High strength fabric flame retardant
Heat insulated	: Aramid mats
Size	: All Size
Color	: Orange, Blue, Red, & Navy Blue



Fireman Helmet

Model	: FMH-012L
Material helm	: 100 % ABS
Material kaca	: Polycarbonate
Shawl/ pelindung	: Aramid
Color	: Red
Size	: All size



Fireman Goggles

Model	: FMG-013 F
Material	: PVC Frame, Polycarbonate Lens
Lens color	: Clear
Frame color	: Red, Clear, Yellow & Black
Features	: Anti-scratch, Anti-foa, Anti-ultraviolet, Anti-splash



Firehose Rubber Red

Model : FH-15/16R
Size : 1,5" x 38 mm
Panjang (roll) : 20 m
Work pressure : 18 bar (kg/m²)
Material : 100 % Polyester wofen reinforcement with rubber
Include : Machino, stroz, VDH, dll

Firehose Rubber Red



Model	: FH-15/16R
Size	: 1,5" x 38 mm
Panjang (roll)	: 30 m
Work pressure	: 18 bar (kg/m ²)
Material	: 100 % Polyester wofen reinforcement with rubber
Include	: Machino, stroz, VDH, dll

Firehose Rubber Red



Model : FH-20/16 R
Size : 2" – 50 mm
Panjang (roll) : 20 meter
Work pressure : 18 bar (kg/m²)
Material : 100 % Polyester wofen reinforcement with rubber
Include : Machino, stroz, VDH, dll

Firehose Rubber Red



Model : FH-25/16 R
Size : 2,5" – 65 mm
Panjang (roll) : 20 meter
Work pressure : 18 bar (kg/m²)
Material : 100 % Polyester wofen reinforcement with rubber
Include : Machino, stroz, VDH, dll

Firehose Rubber Red

Model : FH-15/16 C
Size : 1,5" – 38 mm
Panjang (roll) : 30 meter
Work pressure : 16 bar (kg/m²)
Material : 100 % Polyester wofen reinforcement with rubber
Include : Machino, stroz, VDH, dll





Firehose Rubber Red

Model : FH-20/16 C
Size : 2" – 50 mm
Panjang (roll) : 20 meter
Work pressure : 16 bar (kg/m²)
Material : 100 % Polyester wofen reinforcement with rubber
Include : Machino, stroz, VDH, dll



Fire Hose Reel

Model	: HR – 1/30
Size Hose	: 1”
Panjang hose	: 30 meter
Material hose	: Rubber
Work Pressure	: 12 bar
Material swinging	: Baja

*dilengkapi nozzle dengan tuas on/off & hydrant Valve kuningan 1”



Breathing Apparatus SCBA

Model	: BA-F6/30
Period	: 50 s/d 60 min
Cylinder material	: Steel cylinder
Work pressure	: 30 Mpa (300 bar)
Kapasitas	: 6 liter
Kelengkapan	: Mask, backing, gas cylinder, valve, pressure, Assembly, box.

Fire Nozzle Gun

Model	: FN-25G
Connection	: Drat NHT
Size	: 2,5" (65 mm)
Working pressure	: 8 bar
Max Pressure	: 40 bar
Material	: Alumu0 nium alloy
Flow rate	: 350-450-580-780-950 LPM
Include	: Machino, Storz, VDH, DLL



Fire Nozzle Gun



Model	: FN-15G
Connection	: Drat NHT
Size	: 1,5" (38 mm)
Working pressure	: 8 bar
Max Pressure	: 40 bar
Material	: Alumunium alloy
Flow rate	:115-230-360-475 LPM
Include	: Machino, Storz, VDH, DLL



Fire Nozzle Jet

Model : FN-15J
Connection : Machino, Storz, VDH
Size : 1,5" (38 mm)
Work pressure : 7 bar
Material : Alumunium Alloy




Fire Nozzle Jet

Model : FN-25J
Connection : Machino, Storz, VDH
Size : 2,5" (65 mm)
Work pressure : 7 bar
Material : Alumunium Alloy




Fire Nozzle Jet (With On-Off)

Model : FN-25 WH
Type : Ball Valve (on -off)
Connection : Storz coupling
Size : 2,5" (65 mm)
Work pressure : 7 bar
Material : Alluminium alloy



Hydrant Box Indoor

Model : HB- 10A1
Type : A1
Dimensi : 66 x52 x 15 cm
Material : Mild Steel Plat (Plat Besi)
Paint Finishing : Red Powder Coating



Hydrant Box Indoor

Model : HB- 10A2
Type : A2
Dimensi : 100 x 80 x 18 cm
Material : Mild Steel Plat (Plat Besi)
Paint Finishing : Red Powder Coating

Siamese Connection

Model	: SC-4/25
Type	: S7
Size	: 4"
Outlet	: 2,5"
Body material	: Brass Chrome
Working pressure	: 10 bar
Test Pressure	: 30 bar
Connect type	: Machino Storz, VDH, dll





Siamese Brass Four Way

Model : SC-4/25
Type : 4 WAY
Inlet : 6 inch
Outlet : 2,5 inch
Body material : Cast iron
Test Pressure : 24 bar
Connect type : Machino, brass, VDH, dll



Siamese Connection

Model : SC-4/25
Type : SC11
Inlet : 4 inch
Outlet : 2,5 inch
Body material : Brass Chrome
Work Pressure : 10 bar
Test Pressure : 30 bar
Connect type : Machino, brass, VDH, dll



Hydrant Pillar

Model : HP -4/25
Type : 2 WAY
Inlet : 4 inch
Outlet : 2,5 inch
Body material : Cast iron
Test Pressure : 324 bar
Connect type : Machino, brass, VDH, dll



Variable Spray

Model : VS15
Connection : Drat NHT (connect nozzle jet)
Size : 1.5"
Material : Alluminium alloy



Variable Spray

Model : VS-25
Connection : Dnat NHT (connect nozzle jet)
Size : 2.5"
Material : Alluminium alloy



Hydrant Valve

Model	: HV-15/16K
Type	: Coupling Machino
Size	: 1.5 Inch
Material	: Brass Chrome
Test Pressure	: 16 Bar
Include	: Machino, Storz, VDH. DII



Hydrant Valve

Model : HV-25/16K
Type : Coupling Machino
Size : 2.5 Inch
Material : Brass Chrome
Test Pressure : 16 Bar
Include : Machino, Storz, VDH. DII



Hydrant Valve

Model : HV-15/10K
Type : Coupling Machino
Size : 1.5 Inch
Material : Brass
Test Pressure : 16 Bar
Include : Machino, Storz, VDH. DII



Hydrant Valve

Model : HV-15/10K
Type : Coupling Machino
Size : 2.5 Inch
Material : Brass
Test Pressure : 16 Bar
Include : Machino, Storz, VDH. DII



Y-Connection

Model	:YC-1515DH
Type	: Double Handle
Ukuran	: 1.5" x 1.5" x 1.5"
Work Pressure	: 10 Bar
Max Work Pressure	: Max. 20 Bar
Bahan	: Alluminium Alloy
Inlet / Outlet Type	: Machino, Storz, VDH, DII



Y-Connection

Model	: YC-1515DH
Type	: Double Handle
Ukuran	: 2.5" x 1.5" x 1.5"
Work Pressure	: 10 Bar
Max Work Pressure	: Max. 20 Bar
Bahan	: Alluminium Alloy
Inlet / Outlet Type	: Machino, Storz, VDH, DII



Y-Connection

Model	: YC-2525DH
Type	: Double Handle
Ukuran	: 2.5" x 2.5" x 2.5"
Work Pressure	: 10 Bar
Max Work Pressure	: Max. 20 Bar
Bahan	: Alluminium Alloy
Inlet / Outlet Type	: Machino, Storz, VDH, DII



Fire Blanket (Hardcase)

Model	: FB-100H
Ukuran Selimut	: 100 X 100 cm (1 x 1 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use acces	: Yes

Cocok untuk didapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan



Fire Blanket (Hardcase)

Model	: FB-120H
Ukuran Selimut	: 120 X 120 cm (1.2 x 1.2 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use acces	: Yes

Cocok untuk didapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan



Fire Blanket (Hardcase)

Model	: FB-180H
Ukuran Selimut	: 180 X 180 cm (1.8 x 1.8 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use acces	: Yes

Cocok untuk didapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan



Fire Blanket (Hardcase)

Model	: FB-100S
Ukuran Selimut	: 100 X 100 cm (1 x 1 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use acces	: Yes

Cocok untuk didapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan



Fire Blanket (Hardcase)

Model	: FB-120S
Ukuran Selimut	: 120 X 120 cm (1.2 x 1.2 m)
Bahan	: 100% glass fabric
Portable	: Yes
Easy to use acces	: Yes

Cocok untuk didapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan



Fire Blanket (Hardcase)

Model	: FB-68C
Ukuran Selimut	: 6 x 6 m
Bahan	: 100% glass fabric (0.5 mm)
Portable	: Yes
Easy to use acces	: Yes

Cocok untuk didapur, atau sumber api yang rawan terbakar. Sebaiknya selimut api diganti baru jika telah digunakan agar selalu efektif untuk digunakan



Box Fire Extinguisher (kaca kunci)

Model	: BFE-3/4
Dimensi	: 30 x 55 x 20 mm
Peruntukan UK. Apar	: 3, 3.5 & 4kg
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating



Box Fire Extinguisher (kaca kunci)

Model	: BFE-4/5
Dimensi	: 30 x 60 x 20 mm
Peruntukan UK. Apar	: 4, 4.5 & 5kg
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating



Box Fire Extinguisher (kaca kunci)

Model	: BFE-6
Dimensi	: 35 x 65 x 20 mm
Peruntukan UK. Apar	: 6 kg
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating



Box Fire Extinguisher (kaca kunci)

Model	: BFE-9
Dimensi	: 35 x 70 x 22 mm
Peruntukan UK. Apar	: 9 kg
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating



Box Fire Extinguisher (Rukun / 2 Apar)

Model	: BFE-3/4R
Dimensi	: -
Peruntukan UK. Apar	: 3 kg x 2
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating



Box Fire Extinguisher (Rukun / 2 Apar)

Model	: BFE-5/6r
Dimensi	: 60 x 20 cm
Peruntukan UK. Apar	: 5/6 kg x 2
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating



Hydrant Box Outdoor

Model	: HB-10C
Type	: C
Dimensi (WxHxD)	: 66 x 95 x 20 mm
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating



Hydrant Box Outdoor

Model	: HB-10B
Type	: C
Dimensi (WxHxD)	: 125 x 75 x 18 mm
Material	: Mild Steel Plate (Plat Besi)
Paint Finish	: Red Powder Coating